

FM * - MANUALLY AND MECHANICALLY VALVES

3/2 and 5/2, 1/8" and 1/4" ported

A wide range of operator types suitable for variety of industrial applications. FM* Valves are suitable for panel mounting, and come with the panel mounting nut. FM* valves are suitable for multi-directional flow and dual pressure applications. Lightweight corrosion resistant materials

Medium: Compressed air, filtered, lubricated and non-lubricated
 Operating Pressure: Maximum 26.5" Hg to 145 psig (-0.9 to 10 bar)
 Ambient temperature: 0...+70°C



MECHANICAL VALVES

Operator / Return	Function	Port size	Flow	Code	Drawing
Roller lever /spring (Heavy Duty)	3/2	1/8"	335	18PNJ03029302	A.10
	5/2	1/8"	335	18PNJX3039302	E.10
Roller lever /spring	3/2	1/8"	335	18PNJ03041102	A.4
	3/2	1/4"	965	18PNJ03061102	B.9
	5/2	1/8"	335	18PNJX3045102	E.4
	5/2	1/4"	965	18PNJX3065102	F.9
Roller / spring	3/2	1/8"	335	18PNJ03040202	A.2
	3/2	1/4"	965	18PNJ03060202	B.6
	5/2	1/8"	335	18PNJX3044202	E.2
	5/2	1/4"	965	18PNJX3064202	F.6
Button / spring	3/2	1/8"	335	18PNJ03040002	A.1
	3/2	1/4"	965	18PNJ03060002	B.3
Sensitive Roller Lever / spring	3/2	1/8"	335	18PNJ03042302	A.5
	5/2	1/8"	335	18PNJX3046302	E.5
Antenna / spring	3/2	1/8"	335	18PNJ03043202	A.8
	5/2	1/8"	335	18PNJX3047202	E.8

MANUAL VALVES

Operator	Function	Port size	Flow	Code	Drawing
Lever	3/2	1/8"	335	18PNJ03029602	-
	5/2	1/8"	335	18PNJX3029602	-
Lever operated	3/2	1/8"	335	18PNJ03040302	A.22
	5/2	1/8"	335	18PNJX3044302	E.24
Lever	3/2	1/8"	335	18PNJ03043702	A.23
	3/2	1/4"	965	18PNJ03063702	B.31
	5/2	1/8"	335	18PNJX3047702	E.23
	5/2	1/4"	965	18PNJX3067702	F.31
Button	3/2	1/8"	335	18PNJ03029802	A.26
	5/2	1/8"	335	18PNJX3029802	E.27
Button Colors Black, Green, Red	3/2	1/8"	335	18PNJ03040*02	A.12
* 4=Nero, 5=Verde, 6=Rosso					
Emergency Stop/Twist Ring	3/2	1/8"	335	18PNJ03029902	A.16
	5/2	1/8"	335	18PNJX3029902	E.16
Button Operated Pilot Return Valve	3/2	1/8"	335	18PNJ03042502	A.21
	5/2	1/8"	335	18PNJX3046502	E.26
Pedal / spring	3/2	1/8"	335	18PNJ03048102	29
	3/2	1/4"	965	18PNJ03068102	29
	5/2	1/8"	335	18PNJX3048202	29
	5/2	1/4"	965	18PNJX3068402	29



SATEMA


13856 VIGLIANO B.SE - Via Milano, 395

Tel. +39 015811102 - Fax 0158853029


Mail: info@satema.it

<http://www.satema.it>


G1/8" - 3/2, ritorno a molla, corpo base
G1/8" - 3/2, spring return, basic body




G1/4" - 3/2, ritorno a molla, corpo base
G1/4" - 3/2, spring return, basic body



G1/8" - 5/2, ritorno a molla, corpo base
G1/8" - 5/2, spring return, basic body



G1/4" - 5/2, ritorno a molla, corpo base
G1/4" - 5/2, spring return, basic body



SATEMA


13856 VIGLIANO B.SE - Via Milano, 395

Tel. +39 015811102 - Fax 0158853029


Mail: info@satema.it

<http://www.satema.it>


Pulsante - valvole G1/8"
Button - G1/8" valves




Rullo - valvole G1/8"
Roller - G1/8" valves




Pulsante - valvole G1/4"
Button - G1/4" valves




Leva a rulli - valvole G1/8"
Roller lever - G1/8" valves




Leva a rulli sensibile- valvole G1/8"
Sensitive roller lever - G1/8" valves




Rullo - valvole G1/4"
Roller - G1/4" valves




Antenna - valvole G1/8"
Antenna - G1/8" valves



Leva a rulli - valvole G1/4"
Roller lever - G1/4" valves



Leva a rulli (serv.pesante) G1/4"
Roller lever Heavy Duty - G1/4"



SATEMA

13856 VIGLIANO B.SE - Via Milano, 395


Tel. +39 015811102 - Fax 0158853029

Mail: info@satema.it <http://www.satema.it>


Pulsante - valvole G1/8"
Button - G1/8" valves

Arresto di emergenza - valv. G1/8"
Emergency stop - G1/8" valves


Push-pull - valvole G1/8"
Push-pull - G1/8" valves




Con molla richiamo leva - G1/8"
Lever operated - G1/8"





Con molla richiamo leva - G1/8"
Lever operated - G1/8"




Interruttore leva G1/8"
Lever - G1/8"






Valvola con manopola di richiamo G1/8"
Button Operated Pilot Return Valve G1/8"



Pedale/Pedal G1/8" - G1/4"



Manopola girevole - G1/8"
Rotary knob - G1/8"



SATEMA

13856 VIGLIANO B.SE - Via Milano, 395

Tel. +39 015811102 - Fax 0158853029

Mail: info@satema.it

<http://www.satema.it>