

18RAUT-PN* - PNEUFIT® AUTOMATIC FITTINGS

PNEUFIT C Series



Norgren Pneufit® C fittings are ready to use, offering fast assembly with no need for tools providing optimum flow. Releasable stainless-steel grab-ring to grip nylon or polyurethane tube (85 or 95 durometer). Nickel plated brass components provide corrosion and contamination resistance and an extended life. Pre applied thread sealant on all taper threads and recessed captive O-ring on parallel threads provides

PNEUFIT S Series

Nickel plated brass bodies and collets. Silicone free o-rings. Reduced assembly and maintenance time

TECHNICAL FEATURES

	PNEUFIT C	PNEUFIT S
Fluid:	Compressed air	Compressed air
Operating pressure:	750 mm Hg vacuum up to 10 bar	from vacuum to 18 bars
Temperature:	0 ... 60°C	-20...+80°C (consultare uff. tecnico per T inf. 2 °C)
Tubes:	Nylon 11/12 or Polyurethane 85, 95 98 Shore	Nylon 11/12, polyurethane and other plasticized or non-plasticized tubing conforming to the tolerances given in BS5409/1:1976, under normal light and operating conditions
Fitting body:	PBT	nickel-plated brass or glass-filled nylon
O-ring:	NBR (silicone free)	silicone-free nitrile rubber
Threaded bodies:	nickel plated brass	nickel-plated brass
Release sleeve & backing	POM	nickel-plated brass
Grab-ring:	stainless steel	nickel-plated brass
Collar:	nickel plated brass	nickel-plated brass
Thread sealant:	threebond 2350B	non-PTFE



SATEMA

13856 VIGLIANO B.SE - Via Milano, 395

Tel. +39 015811102

Mail: info@satema.it

<http://www.satema.it>

18RAUT-PNS* - PNEUFIT® AUTOMATIC FITTINGS

STRAIGHT MALE CONICAL ADAPTOR

Tube	BSPP	Pneufit S	Satema Code
4	M5	102250405	18RAUT-PNS-ED01
4	M5 Femm,	102260405	18RAUT-PNS-ED01F
4	M6	102250406	18RAUT-PNS-ED02
4	1/8"	101250418	18RAUT-PNS-ED03
6	1/8"	101250618	18RAUT-PNS-ED06
6	1/4"	101250628	18RAUT-PNS-ED07
8	1/8"	101250818	18RAUT-PNS-ED08
8	1/4"	101250828	18RAUT-PNS-ED10
10	1/4"	101251028	18RAUT-PNS-ED11
10	3/8"	101251038	18RAUT-PNS-ED12
12	3/8"	101251238	18RAUT-PNS-ED13
14	1/2"	101251448	18RAUT-PNS-ED14



90° SWIVEL ELBOW ADAPTOR

Tubo	BSPP	Pneufit S	Satema Code
4	M5 (CILIND)	102470405	18RAUT-PNS-EGG01
4	1/8"	101470418	18RAUT-PNS-EGG02
6	M5 (CILIND)	102470605	18RAUT-PNS-EGG03
6	1/8"	101470618	18RAUT-PNS-EGG04
6	1/4"	101470628	18RAUT-PNS-EGG05
8	1/8"	101470818	18RAUT-PNS-EGG06
8	1/4"	101470828	18RAUT-PNS-EGG07
10	1/4"	101471028	18RAUT-PNS-EGG09
10	3/8"	101471038	18RAUT-PNS-EGG10
12	3/8"	101471238	18RAUT-PNS-EGG11



SWIVEL TEE ADAPTOR - CENTRAL MALE

Tubo	BSPP	Pneufit S	Satema Code
4	M5 (CILIND)	102670405	18RAUT-PNS-ETG01
6	1/8"	101670618	18RAUT-PNS-ETG03



SWIVEL SIDE TEE ADAPTOR - LATERAL MALE

Tubo	BSPP	Pneufit S	Satema Code
10	1/4"	101681028	18RAUT-PNS-ETGL07



SATEMA

13856 VIGLIANO B.SE - Via Milano, 395

Tel. +39 015811102

Mail: info@satema.it

<http://www.satema.it>

18RAUT-PNS* - PNEUFIT® AUTOMATIC FITTINGS

STRAIGHT UNION

Tube	Pneufit S	Satema Code
4	100200400	18RAUT-PNS-ID04
6	100200600	18RAUT-PNS-ID06
8	100200800	18RAUT-PNS-ID08
10	100201000	18RAUT-PNS-ID10
12	100201200	18RAUT-PNS-ID12
14	100201400	18RAUT-PNS-ID14



UNION ELBOW

Tube	Pneufit S	Satema Code
4	100400400	18RAUT-PNS-IG04
6	100400600	18RAUT-PNS-IG06
8	100400800	18RAUT-PNS-IG08
10	100401000	18RAUT-PNS-IG10
12	100401200	18RAUT-PNS-IG12



UNION TEE

Tube	Pneufit S	Satema Code
4	100600400	18RAUT-PNS-IT04
6	100600600	18RAUT-PNS-IT06
8	100600800	18RAUT-PNS-IT08
12	100601200	18RAUT-PNS-IT12
14	100601400	18RAUT-PNS-IT14



UNION CROSS

Tube	Pneufit S	Satema Code
6	100900600	18RAUT-PNS-IC06



UNION Y

Tube	Pneufit S	Satema Code
4	100820400	18RAUT-PNS-EY01



Y-JOINT CENTRAL THREAD

Diam. Tube	Thread	Pneufit S	Satema Code
8	1/4"	101880828	18RAUT-PNS-EY04



MULTIPLE FITTING

Input	Output	Satema Code
2x D. 6	3x D. 4	18RAUT-PNS-IM6X3/04



SATEMA

13856 VIGLIANO B.SE - Via Milano, 395

Tel. +39 015811102

Mail: info@satema.it

<http://www.satema.it>

18RAUT-PNS* - PNEUFIT® AUTOMATIC FITTINGS

STEM REDUCER

Diam. A	Diam. A1	Pneufit S	Satema Code
6	4	100230604	18RAUT-PNS-CR01
8	6	100230806	18RAUT-PNS-CR05
10	8	100231008	18RAUT-PNS-CR06
12	6	100231206	18RAUT-PNS-CR07
12	8	100231208	18RAUT-PNS-CR09
12	10	100231210	18RAUT-PNS-CR10
14	12	100231412	18RAUT-PNS-CR13



EXPANDING CONNECTOR

Diam. A	Diam. A1	Pneufit S	Satema Code
4	6	100230406	18RAUT-PNS-CE01

INTERMEDIATE RESIN REDUCTION

Diam. A	Diam. A1		Satema Code
4	6		18RAUT-PNS-CRI01



PLASTIC CAP

Tube		Pneufit S	Satema Code
4		110040400	18RAUT-PNS-TA04
6		110040600	18RAUT-PNS-TA06
8		110040800	18RAUT-PNS-TA08
10		110041000	18RAUT-PNS-TA10
12		110041200	18RAUT-PNS-TA12



STRAIGHT ADAPTOR - BSP TAPER

Tube	BSPT	Pneufit C	Satema Code
6	1/8"	C02250618	18RAUT-PNC-ED06
6	1/4"	C01250628	18RAUT-PNC-ED07
10	1/4"	C02251028	18RAUT-PNC-ED11



EXPANDING CONNECTOR

Diam. A	Diam. A1	Pneufit C	Satema Code
4	6	C00230405	18RAUT-PNC-CE01



RILSAN HOSE DISCONNECTION TOOL

Tube diameter	Satema Code
4 - 6	18RAUT-PNS-UTE06
8	18RAUT-PNS-UTE08



SATEMA

13856 VIGLIANO B.SE - Via Milano, 395

Tel. +39 015811102

Mail: info@satema.it

<http://www.satema.it>